



Timbues & Puerto San Martín Terminals

San Lorenzo port area

Choose the Terminal you want to check, then click



LDC Timbues (Dreyfus Timbues)



Noble Timbues



Terminal 6 North



Terminal 6 South



Alto Paraná



Cargill (Quebracho)



Cargill Fertilizers (Mosaic)



Petrobras



Nidera



Alfred Toepfer (El Tránsito)



Bunge (Pampa)



Bunge (Dempa)

General Info	
Owners	LDC Argentina S.A.
Location	Paraná River - Km 464
Berth	Port side

Frontage (in meters)	100
Max. LOA (in meters)	270
Depth (in meters)	14
Air Draft at Datum (in meters)	24
Cargo Suitability	Grain, By products & Vegoils

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Loading rates	
Grain	1800 Mt x Hour
By Products	1400 Mt x Hour
Vegetable Oil	800 Mt x Hour

Cargoes Loaded
Soyabean
Soyabean Meal
Soyabean Oil

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)



LDC - Dreyfus Timbues

Stowage Factors	
Wheat	43/44
Maize	44/45
Soyabean	48/49
Soya Hull P.	54/55
SBM LP	55/56
SBM HP	53/54

General Info	
Owners	Noble Argentina S.A.
Location	Paraná River - Km 462
Berth	Port Side

Frontage (in meters)	160
Max. LOA (in meters)	275
Depth (in meters)	14,6
Air Draft at Datum (in meters)	24
Cargo Suitability	Grain & Vegoils



Noble S.A. - Noble Timbues

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Loading rates	
Grain	1600 Mt x Hour
Vegoils	1000 Mt x Hour

Cargoes Loaded
Wheat
Soyabean
Sorghum
Maize

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	46
Maize	45/46

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Terminal 6 S.A.
Location	Paraná River - Km 456
Berth	Port Side



Frontage (in meters)	161
Max. LOA (in meters)	270
Depth (in meters)	12,2
Air Draft at Datum (in meters)	25
Cargo Suitability	Grain, By products & Vegoils

Terminal 6 - North

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Cargoes Loaded
Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Loading rates	
Grain	1200 Mt x Hour
By Products	1000 Mt x Hour
Vegetable Oil	500 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	44/45
Maize	45/46
Soyabeans	47/48
Soya Hull P.	60/61
SBM LP	56/57
SBM HP	52/53
SFMP	60

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)




COMPLEJO T6



General Info	
Owners	Terminal 6 S.A.
Location	Paraná River - Km 456
Berth	Port Side

Frontage (in meters)	155
Max. LOA (in meters)	275
Depth (in meters)	12,2
Air Draft at Datum (in meters)	21
Cargo Suitability	Grain, By products & Vegoils



Terminal 6 - South

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Loading rates	
Grain	1000 Mt x Hour
By Products	800 Mt x Hour
Vegetable Oil	650 Mt x Hour

Cargoes Loaded
Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Available	Only at Roads (by barge)

Stowage Factors	
Wheat	44/45
Maize	45/46
Soyabeans	47/48
Soya Hull P.	60/61
SBM LP	56/57
SBM HP	52/53
SFMP	60

[Go back to Menu](#)

General Info	
Owners	Alto Paraná S.A.
Location	Paraná River - Km 455
Berth	Port Side



Alto Paraná

Frontage (in meters)	58
Max. LOA (in meters)	240
Depth (in meters)	11
Air Draft at Datum (in meters)	N/A
Cargo Suitability	Methanol, UFC* & Vegoils

Port Facilities	Pipeline - Tanks
-----------------	------------------

Cargoes Loaded
Methanol
UFC
Vegoils
Biodiesel

Loading rates	
Methanol	170/250 Mt x Hour
UFC	160 Mt x Hour
Vegoils	550 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)

UFC: Urea Formaldehyde Resin

Vegoils & Biodiesel: Arrangements have been made to use this berth for exporting vegetable oils from Terminal 6 Terminal & Cargill SACI terminal.

[Go back to Menu](#)



General Info	
Owners	Cargill Grain & Oilseed Supp.
Location	Paraná River - Km 454,4
Berth	Port Side



Frontage (in meters)	130
Max. LOA (in meters)	297
Depth (in meters)	12,5
Air Draft at Datum (in meters)	21
Cargo Suitability	Grain, By products & Vegoils

Cargill S.A.C.I. - Quebracho

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Cargoes Loaded

Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Loading rates	
Grain	1800 Mt x Hour
By Products	1400 Mt x Hour
Vegetable Oil	900 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	43/44
Maize	45/46
Soyabeans	47/48
Soya Hull P.	59
SBM LP	56/57
SBM HP	53/54
SFMP	60

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Mosaic de Argentina S.A.
Location	Paraná River - Km 454
Berth	Port Side



Frontage (in meters)	130
Max. LOA (in meters)	210
Depth (in meters)	10
Air Draft at Datum (in meters)	22
Cargo Suitability	Fertilizers & Vegoils

Cargill Fertilizers - Mosaic

Port Facilities	Silo - Belt conveyor
-----------------	----------------------

Cargoes Loaded
Fertilizers
Vegoils

Loading / Discharging rates	
Fertilizers	300 Mt x Hour (Load)
Fertilizers	3000/4000 Mt x Day (Discharge)
Vegoils	550 Mt x Hour

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Petrobras Energia S.A.
Location	Paraná River - Km 451,4
Berth	Port Side

Frontage (in meters)	90
Max. LOA (in meters)	180
Depth (in meters)	8
Air Draft at Datum (in meters)	N/A
Cargo Suitability	Chemichals, Petroleum by products and Liquid Gas.

Petrobras

Port Facilities	Pipeline - Tanks
-----------------	------------------

Cargoes Loaded
Chemicals
Nafta
Gas

Loading / Discharging rates	
Chemicals	200 Mt x Hour
Nafta	400 Mt x Hour
Gas	200 Mt x Hour

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Not available at berth	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Nidera S.A.
Location	Paraná River - Km 451
Berth	Port Side



Frontage (in meters)	150
Max. LOA (in meters)	250
Depth (in meters)	14
Air Draft at Datum (in meters)	22
Cargo Suitability	Grain, By products & Vegoils

Nidera

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Cargoes Loaded
Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Loading rates	
Grain	2400 Mt x Hour
By Products	1600 Mt x Hour
Vegetable Oil	900 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	43/44
Maize	45
Soyabeans	47/48
Soya Hull P.	56
SBM LP	59/60
SBM HP	53/54
SFMP	58

Fresh Water	Bunker / Slop operations
Available	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Alfred C. Toepfer International S.A.
Location	Paraná River - Km 449,5
Berth	Port Side



Frontage (in meters)	150
Max. LOA (in meters)	230
Depth (in meters)	10
Air Draft at Datum (in meters)	24
Cargo Suitability	Grain, By products & Vegoils

Toepfer S.A. - El Tránsito

Port Facilities	Silo - Belt conveyor - Pipeline - Tanks
-----------------	---

Cargoes Loaded
Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Loading rates	
Grain	1000 Mt x Hour
By Products	650 Mt x Hour
Vegetable Oil	950 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	45
Maize	45
Soyabeans	48
Sunflower Seed	80
Sorghum	48,5

Fresh Water	Bunker / Slop operations
Available	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Bunge Argentina S.A.
Location	Paraná River - Km 449
Berth	Port Side

Frontage (in meters)	125
Max. LOA (in meters)	270
Depth (in meters)	12,2
Air Draft at Datum (in meters)	25,7
Cargo Suitability	Grain, By products & Vegoils

Bunge S.A. - Pampa

Port Facilities	Pipeline - Grain Elevator
-----------------	---------------------------

Cargoes Loaded
Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Loading rates	
Grain	2000 Mt x Hour
By Products	1600 Mt x Hour
Vegetable Oil	500 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	43
Maize	45/46
Soyabeans	48
SBMP LP	53
SBM HP	53/54
SBM LP	56/57
SBM 42	59

Fresh Water	Bunker / Slop operations
Not Available	Only at Roads (by barge)

[Go back to Menu](#)



General Info	
Owners	Bunge Argentina S.A.
Location	Paraná River - Km 448,5
Berth	Port Side



Frontage (in meters)	125
Max. LOA (in meters)	235
Depth (in meters)	14
Air Draft at Datum (in meters)	23,85
Cargo Suitability	Grain, By products & Vegoils

Bunge S.A. - Dempa

Port Facilities	Tanks - Pipeline - Grain Elevator
-----------------	-----------------------------------

Cargoes Loaded
Corn
Wheat
Soyabean
Soyabean Oil
Sunflower
Cottonseed

Loading rates	
Grain	2000 Mt x Hour
By Products	1200 Mt x Hour
Vegetable Oil	600 Mt x Hour

Working time	
Monday to Friday	From 0700 hs to 1900 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors	
Wheat	43
Maize	45/46
Soyabeans	48
SBMP LP	53
SBM HP	53/54
SBM LP	56/57
SBM 42	59

Fresh Water	Bunker / Slop operations
Not Available	Only at Roads (by barge)

[Go back to Menu](#)