



Central Termica Power Station

General Info	
Owners	AES Alicurá
Location	Paraná River - Km 347,5
Berth	Port side

Frontage (in meters)	200
Max. LOA (in meters)	230
Depth (in meters)	11
Air Draft at Datum (in meters)	16,3
Cargo Suitability	Coal

Port Facilities	Crane - Open Storage
-----------------	----------------------

Cargoes Loaded

Discharging rates	
Coal	7000 Mt x Day

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors

Fresh Water	Bunker / Slop operations
Not Available	N/A

Restrictions
Berthing / Unberthing with daylight only with assistance of one tug

[Go back to Menu](#)



General Info	
Owners	Servicios Portuarios S.A. (Conc.)
Location	Paraná River - Km 350,5
Berth	Port side

Frontage (in meters)	143
Max. LOA (in meters)	270
Depth (in meters)	10,36
Air Draft at Datum (in meters)	N/A
Cargo Suitability	Grains

Port Facilities	Grain Elevator - Silo - Conveyor Belt
-----------------	---------------------------------------

Loading rates	
Grain	1000 Mt x Hour

Grain Elevator

Cargoes Loaded	
	Maize

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Not Available	N/A

Stowage Factors	
Maize	44/45

[Go back to Menu](#)



General Info	
Owners	Servicios Portuarios S.A. (Conc.)
Location	Paraná River - Km 352
Berth	Port side

Frontage (in meters)	530
Max. LOA (in meters)	230 (Up to 3 vssls, sub. to LOAs)
Depth (in meters)	10,36
Air Draft at Datum (in meters)	N/A
Cargo Suitability	Fertilizers - Bulk Cargo - Steel Products

New Port - San Nicolás

Port Facilities	Open Storage - Belt Conveyor - Silo - Crane
------------------------	---

Cargoes Loaded

Loading / Discharging rates	
Fertilizers (Solid)	350 Mt x Hour
Fertilizers (Liquid)	600 Mt x Hour

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors

Fresh Water	Bunker / Slop operations
Available	Only at Roads (by barge)

Restrictions
Berthing / Unberthing with daylight only with assistance of one tug

[Go back to Menu](#)



General Info	
Owners	Ternium Siderar
Location	Paraná River - Km 344,5
Berth	Port side

Frontage (in meters)	680
Max. LOA (in meters)	230
Depth (in meters)	10,36
Air Draft at Datum (in meters)	20,3
Cargo Suitability	Coal / Iron Ore

Siderar Raw Material "A"

Port Facilities	Gantry Crane - Open Storage
-----------------	-----------------------------

Cargoes Loaded

Discharging rates	
Coal	8000 Mt x Day
Iron Ore	10000 / 20000 Mt x day

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Stowage Factors

Fresh Water	Bunker / Slop operations
Available	N/A

[Go back to Menu](#)



General Info	
Owners	Ternium Siderar
Location	Paraná River - Km 347
Berth	Port side

Frontage (in meters)	320
Max. LOA (in meters)	230
Depth (in meters)	11
Air Draft at Datum (in meters)	N/A
Cargo Suitability	Steel Products

Port Facilities	Crane - Open Storage
-----------------	----------------------

Loading rates	
Steel Products	3000/4000 Mt x Day

Siderar Commercial "B"

Cargoes Loaded

Working time	
Monday to Friday	From 0600 hs to 1800 hs
Saturday	From 0600 hs to 1200 hs
Shift	6 Hours
Remaining times are considered as overtime	

Fresh Water	Bunker / Slop operations
Available	N/A

Stowage Factors

[Go back to Menu](#)